Advancing Hydrogen:

Learning from 19 plans to advance hydrogen from across the globe

Authors:

Anthony Kosturjak, Senior Research Economist, SA Centre for Economic Studies, University of Adelaide

Tania Dey, Research Economist, SA Centre for Economic Studies, University of Adelaide

Michael D. Young, Professor, Centre for Global Food and Resources, University of Adelaide

Steve Whetton, Deputy Director, SA Centre for Economic Studies, University of Adelaide

Published in:

July, 2019

Intentionally Left Blank

This report summarises 19 hydrogen strategies and industry roadmaps (broader decarbonisation strategy)

7. Access to low cost, low GHG intensity electricity is likely to be critical to the potential for a hydrogen export trade into the medium term, and for the potential of hydrogen to make a meaningful contribution to domestic GHG reductions. Availability of suitable geological features for CCS is also likely to be an important cost driver.

strategies. Some countries

Figure E.1: Identified Production Technologies for Hydrogen by Regional Strategies

Note:

in homes and buildings as an energy source for space heating, water heating and cooking; and

in energy production as an effective way to store surplus renewable energy.

The variations in end uses for hydrogen identified in the strategies are summarised in Table E.1, with more detailed descriptions of the potential end uses following the table.

Figure E.2: Key End-uses for Hydrogen Identified in Strategies

	<20% hydrogen in existing gas distribution and transmission pipelines[a]	100% hydrogen in existing gas distribution and transmission pipelines[a]	Long-term store of energy	Industrial heat	Industrial feedstock	Electricity generation	Household heating	Combined heat and power generators	Manufacture of fuel cell vehicles	Use of H2 for heavy vehicle transport	Use of H2 for small passenger vehicles	Hydrogen production for export
Brunei												

offers one method of reducing carbon emissions produced by industry. Other potential industrial uses for hydrogen include

gas abatement could reduce the demand for low carbon technologies, in which case investment in hydrogen could be abandoned. Either way, we consider that all national strategies should be

A summary of each of the strategies and roadmaps examined is included in the appendix to this report. To assist with the early appreciation of their content, is presented below.

Brunei does not appear to have an overt hydrogen strategy but is seeking to be well positioned to supply hydrogen initially to Japan.

A white paper issued by the Energy Department in 2014 only makes a small reference to pioneering new fuel technologies including hydrogen:

> *"A variety of efficient end-use technologies and alternative fuels have been proposed to address energy-related environmental or supply security challenges in fuel use. Recently, hydrogen have received increased attention world wide because it offers a long term potential to radically reduce several important societal impacts of fuel."*

Hydrogen Supply Chain Demonstration Project a world-first project that involves producing hydrogen from natural gas in Brunei, which will then be transported to Japan. In effect, Brunei

involves developing international hydrogen supply chains.

vehicle industry chain, including supply infrastructure. Government policy in terms of maintaining global competitiveness in automotive manufacturing is the main driving factor, while the need to mitigate climate change and improve urban air quality are also imperatives. It is expected that hydrogen will be sourced from coke oven and indu-9(r)-3(om)-rt0008871Dg0(g)-9(y)] TJETQq0.

and salt caverns to the distribution network; and appliance conversion for the domestic, commercial and industrial sectors.

The combination of SMRs and carbon capture and storage (CCS) would provide a 73% reduction in carbon emissions.

The three main objectives of the report were to:

show how hydrogen and fuel cell technologies can help solve
terms of population growth and environment;
provide evidence to support the case for continued investment in hydrogen fuel cell technology by public and private sector organisations in the transport, transportable and stationary sectors; and
to spread awareness about these hydrogen technologies to persons and stakeholders who are not familiar with the sector.

London considers itself a leader in deploying zero-emission hydrogen and fuel cell technologies in urban operation. London has achieved a presence in harnessing benefits using hydrogen technology as demonstrated by establishing 3 hydrogen stations; operation of multiple fuel cell vehicles (8 buses, 15 vehicles from global OEMs, and 10 hydrogen-diesel vans); 3 large-scale fuel cell combined heat & power plants (largest number in one European city with a combined total capacity of 1MW); and sale of hundreds of unsubsidised portable power units.

The H21 North of England (NoE) strategy is in many ways a large-scale extension of the Leeds specific strategy summarised above. The H21 NoE Project is 13 times larger in terms of energy and 14 times larger in terms of meter points than the H21 Leeds project. The H21 NoE focuses on the development of the engineering solutions necessary to enable conversion of the existing gas networks across the North of England to hydrogen between 2028 and 2034. In so doing, the project would decarbonise 14% of the UK heat and 17% of all domestic gas meter connections in the UK. The project

Enhancing energy security 20
Reducing air pollution 20
Energy storage 20
Exit from nuclear energy 20
2.1 Formulation of strategies 21
Comparative advantage and demand 21
Holistic approach 22
Key uses 22
Sources of hydrogen 22
Energy mix 22
Uncertainty 22
2.2 Hydrogen production 23
Productionmethods 23
Cost of hydrogen production 24
2.3 Sectoral developments 27
Industry 29
Heating 30
Mobility 31
Power 32
2.4 Role of Government 34
2.5 Scale of investment 35
3 Conclusion 36
3.1 Implications and recommendations for industry 38
3.2 Next steps and future work 38
4 References 39
Appendix A Brunei Darussalam 40
Appendix B China

Appendix K Northern Netherlands 83
Appendix L Norway 89
Appendix M Republic of Korea 93
Appendix N United Kingdom 98
Appendix O Leeds, United Kingdom 102
Appendix P London, United Kingdom 105
Appendix Q North of England, United Kingdom 110
Appendix R United States of America (Hydrogen and Fuel Cells Program Plan) 114
Appendix S California, USA 118

Furthermore, while efforts have been made to identify data relating to the cost-effectiveness of particular forms of hydrogen production and associated technologies, no attempt has been made to undertake a thorough assessment of the relative cost-effectiveness and energy efficiency of such technologies as this is beyond the scope of the research task.

In identifying relevant strategies and roadmaps particular attention was paid to those strategies that have or are being developed in several European and Scandinavian countries, the United Kingdom, Japan, Korea and China. Prominent regional initiatives being developed by states like California and cities like Leeds and London are summarised. Although Brunei and Norway do not have existing or current national strategies *per se*, they were included due to notable hydrogen initiatives being recently implemented in these countries.

The remainder of the report is organised as follows. Section two provides a synthesis of the key themes, insights and underlying fundamentals that emerged from the analysis of strategies and roadmaps considered in this report. Each of these individual strategies and roadmaps is in turn summarised in the appendices (in alphabetical order by country, with regional strategies appearing

2.1 Formulation of strategies

In developing hydrogen strategies there are a number of broad themes that are typically observed in the more effective strategies:

- comparative advantages with respect to hydrogen, and how can they be enhanced and maintained;
- identifying the key end-use cases for hydrogen;
- what infrastructure or policy changes are required to support the targeted role for hydrogen; and
- how will required hydrogen volumes will be sourced.

In considering these questions issues such as existing and future sources of energy, areas of comparative advantage and the relative cost-efficiency of competing technologies and/or overseas competitors are taken into account.

There are also several gaps that are apparent in the majority of the strategies, namely:

- Few of the strategies have clearly defined goals for the role of hydrogen in decarbonisation, perhaps reflecting technological and cost uncertainty;
- Strategies/roadmaps do not typically reflect the planned activities in other countries, missing opportunities for synergies and cooperation;
- The resources currently being committed (outside of R&D) are typically small relative to the ambitions of the strategies; and
- Few strategies have started to grapple with the logistics of the transition to hydrogen in the targeted sectors.

At the heart of various strategies is a desire to gain a comparative advantage by focusing on the development of particular technologies or sectors, and scaling up production and demand in order to reduce the cost of hydrogen technologies relative to existing carbon-intensive technologies and competitors.

Existing areas of comparative advantage, and a desire to preserve these advantages going forward, often inform strategies that are motivated by industrial development goals. Hence, for countries with large automotive manufacturing industries such as South Korea, Japan, China and France, development of local manufacturing capability in respect of FCVs, and ambitious roll-out scenarios for FCVs, can together be seen as measures to ensure that local sectors do not fall behind competitors in the event these technologies take off. For countries without such manufacturing capabilities (which now includes Australia in the case of passenger cars), such imperatives are naturally less compelling.

Comparative advantage can also be seen more broadly, for example, population is currently heavily dependent on small passage vehicles, particularly some of its areas of highest comparative advantages such as IT where the key employers are often located in areas of low

decarbonising economy relies on alternatives to internal combustion engines becoming cost-competitive, leading to a focus on the infrastructure needed to support FCVs.

Reducing reliance on foreign technology and imports is also a specific feature of some strategies.

Made in China initiative to reduce reliance on foreign technology imports and climb up the global manufacturing value chain. Similarly, South Korea hopes to localise alkaline and polymer electrolysis parts, all parts of fuel cells for power generation, and hydrogen gas turbine technology.

As mentioned previously, reducing costs across the whole hydrogen industry chain is critical to enabling the adoption of hydrogen technologies. To the extent that multiple demands for hydrogen can be nurtured this will help to reduce unit costs through economies of scale effects.

As hydrogen technologies are still in their infancy, strategies often take a holistic approach in terms of recognising that the whole hydrogen industry supply chain will need to be developed in order to facilitate end-use technologies. This includes not only how hydrogen will be produced, transported and stored, but also any other supportive infrastructure that will be needed to facilitate adoption (e.g. hydrogen refuelling infrastructure for FCVs, household appliances in respect of hydrogen substituting for natural gas in existing gas networks, refurbishment or replacement of transmission and distribution networks).

Key uses for hydrogen generally focus on areas where hydrogen can be deployed to facilitate decarbonisation of energy systems, with a particular emphasis on those areas of decarbonisation

Coal, without CCUS, median A$ 3.7/kg H_2 (sensitivity range A$ 2.1 to A$ 5.5)
Coal, with CCUS, median A$ 3.4/kg H_2 (sensitivity range A$ 2.3 to A$ 4.5)

Specific cost projections and goals contained in the regional strategies include (but are not limited to):

French Hydrogen Development Plan the cost of decarbonised hydrogen for transport distribution should reach a cost of A$11.1 per kg by 2030, a level comparable to energy for diesel vehicles. In terms of industrial production, the costs of water electrolysis are estimated to fall from a current level of A$6.4 to 9.5 per kg to A$3.2 to 4.8 by 2028, which is comparable to the current cost for large industrial customers that extract hydrogen from fossil fuels (A$2.4 to 4.0 per kg).

Hydrogen Economy Roadmap of Korea the production ramp-up targets should enable the unit price of hydrogen to fall from a current level of A$9.9 per kg to A$7.4 per kg by 2022, and down to A$3.7 by 2040.

Basic Hydrogen Strategy for Japan increased procurement should reduce the plant delivery cost from around 100 yen per Nm^3 to around 30 yen per Nm^3 by 2030 (from A$13.8 to A$4.1 per kg). Further scaling up efforts beyond this date should reduce the cost to 20 yen per Nm^3 in order to reach cost competitiveness with traditional energy sources.

Outlines of a Hydrogen Map for the Netherlands the cost of production using electrolysis is expected to fall from a current range of A$7.9 to 10.3 per kg depending on the production method (alkaline or PEM), to A$4.8 to 5.6 per kg by 2030 for on-site production at the MW scale.

It is not clear to what extent the differences in these regional projections from the IEA reflect differences in timing or expected regional input cost differences.

Going beyond hydrogen strategies and roadmaps, the Asia Pacific Energy Research Centre (2018) recently estimated the future cost of carbon-free hydrogen production under alternative production approaches for APEC economies as part of a scenario analysis see Figure 2. Based on a range of

Figure 2: Production Cost Estimates of Carbon Free Hydrogen in the APEC Region in 2030

Note: ROK = Republic of Korea; CT = Chinese Taipei; NZ = New Zealand. Red denotes hydrogen derived from fossil sources, blue from renewable sources. Costs are in US currency.
Source: Asia Pacific Energy Research Centre (2018), Perspectives on Hydrogen in the APEC Region.

2.3 Sectoral developments

Strategies and roadmaps generally identify four broad areas where hydrogen may be deployed to facilitate decarbonisation:

- industry as a feedstock and heat source;
x

97 Tmt 0 0 1 a area, (y)18ar5-8ocku5(w)(droarl-12(ge)4(n)-20(ap)4(n 286.01rm)-10-7(gi of86.0 i(.)nt0 Gr8(f9(oJE1r ho2(br7oJEgh86.

Figure 3: Key End-uses for Hydrogen Identified in Strategies

	Use of H2 for small passenger vehicles	Use of H2 for heavy vehicle transport	Manufacture of fuel cell vehicles	Combined heat and power generators	Household heating	Electricity generation	Industrial feedstock	Industrial heat	Long-term store of energy	100% hydrogen in existing gas distribution and transmission pipelines[a]	<20% hydrogen in existing gas distribution and transmission pipelines[a]

economic growth. So, for example, hydrogen (and other gases created using zero-carbon electricity) are considered as distribution systems, ways of storing energy, and ways of satisfying energy (and feedstock) demands of key sectors, see Figure 4.

Figure 4: Inter-relationship of energy flows in a decarbonised economy

Source: European Union 2018, p. 66.

Hydrogen is currently used as a feedstock for a number of industrial processes, including but not limited to, the manufacture of ammonia, petroleum refining, and methanol production. There is also limited use of hydrogen in other industrial processes including other chemicals manufacturing, iron and steel making, and glassmaking. Almost all of the hydrogen used in these industrial processes is derived from fossil fuel sources such as steam methane reforming. Substituting low or zero-carbon hydrogen for existing fossil fuel derived hydrogen consequently offers one pathway for achieving carbon abatement in the industry sector.

There are other potential novel uses for hydrogen in industrial processes e.g. direct reduced iron steelmaking however, these uses are still at the pilot stage and need feasibility testing.

The other main potential application for hydrogen in industry is as an alternative to natural gas for high and low-temperature heat. Hydrogen may be used as a fuel source for boilers and furnaces, although replacement may be required, especially if high or hydrogen only fuel sources will be used.[4] Carbon dioxide, which is sometimes produced as a by-product of industrial processes (e.g. cement making), could be combined with hydrogen to produce synthetic methane, which can then substitute for natural gas used in existing industrial processes or elsewhere.

The strategies recognise that technological uncertainty and the current cost advantages enjoyed by fossil fuels are currently major barriers to adopting hydrogen in industrial applications. The industrial sector is generally highly exposed to international competitive pressures and is therefore sensitive to any factors that raise input costs. Hydrogen Europe (2019) observes that hydrogen technologies will probably need to reach a price level that is in line with the price of natural gas including carbon externalities in order to facilitate adoption. Given these pressures and the uncertainties associated

[4] Toyota has recently developed a general-purpose hydrogen burner for industrial use, which could potentially replace existing natural gas burners.

with implementing new hydrogen technologies, nations are generally taking a cautious approach to exploring potential industrial applications and ways of reducing costs.

Nonetheless, the industrial sector
strategy as it is effectively the only source of existing hydrogen demand and therefore has the greatest potential for exploiting economies of scale in the short term. The French plan seeks to overcome existing cost barriers by subsidising the acquisition of electrolysers. It also plans to

from renewables energies can be recognised. Meanwhile, the UK has established an Industrial Fuel Switching program to explore the potential for industries to switch to low carbon fuels such as hydrogen, biomass and clean electricity.

to 250,000 vehicles charging stations by this date.[6] For this reason, some strategies initially focus on developing commercial vehicles such as light vans and taxis which may be more suited to fuel cells (e.g. commercial vehicles comprise 60% of the 5,000 target for China in 2020).

Ambitious roll-out scenarios for some countries South Korea, China, France and Japan are in large

(power-to-gas) has emerged as a potential long-term, large-scale storage option. Given the need to bring more renewable energy online, power-to-gas is a major area of interest for national hydrogen strategies and roadmaps.

The observation that hydrogen and, also, synthetic gas produced using zero-carbon electricity have a role in smoothing demand in a decarbonised grid is well illustrated in
for a climate-neutral economy (see Figure 5, European Union 2018).

hope to bring down costs by scaling up the production and deployment of micro-CHP systems for residential and commercial buildings. South Korea expects that scaling up production will reduce installation and power generation costs by 65 and 50% respectively by 2040 (Government of Korea, 2019). Meanwhile, Japan is looking to promote the introduction of fuel cells for industrial and commercial customers with low heat-to-power requirement and hopes to introduce pure hydrogen fuel-cell systems by 2030 (current systems run on natural gas).

Large stationary fuel cells face similar cost barriers to becoming an economical means of direct power generation. A 2015 European study found that the levelized cost of electricity from large stationary fuel cell was approximately 40% higher compared to grid electricity (Element Energy Ltd., 2016).

The adoption of hydrogen for direct power generation will depend heavily on how competing technologies evolve. For example, a recent study on the potential for hydrogen production in the

generation within a country if CCS becomes available (Asia Pacific Energy Research Centre, 2018). The reasoning here is that CCS would allow existing fossil fuels to continue to be used for power generation with003002E>-4@0052005500480044000 3>] TJETQq0.000008871 0 595.32 841.92 reW*nBT/F1 9.92E>-4@0

Australian Bureau of Statistics (2018), *Australian System of National Accounts, 2017-18*. Cat. No 5204.0.

Asia Pacific Energy Research Centre (APERC) (2018), *Perspectives on Hydrogen in the APEC Region*.

Element Energy Ltd. (2016), *London: a capital for hydrogen and fuel cell technologies*, report prepared for Hydrogen London.

European Union (2018), A Clean Planet for all: A European long-term strategic vision for a prosperous, modern, competitive and climate neutral economy, In-Depth Analysis in Support of the Commission Communication COMN v nBT/F1 9.96 8Ut4 HydrogenLondo, In

Residential

Exports

Comparative Advantages

Brunei has a relatively large oil and gas sector which accounted for 58% total gross value added in the first quarter of 2018 (Department of Statistics 2018). Japan is a long-standing major customer of

Japan makes it an ideal test bed for hydrogen derived from steam reforming natural gas.

Role of Government

The Global Hydrogen Supply Chain Demonstration Plant is subsidised by the National Research and Development Agency and the New Energy and Industrial Technology Development Organization (Mitsui & Co., Ltd. 2017).

Funding / Costs

Challenges

Existing oil and gas fields are ageing, and there is a need for greater investment and exploration activity to boost oil and gas reserves.

Recommendations (Roadmap)

Public Awareness

Timeframes

The project should be completed by December 2019, enabling operation during the 2020 calendar year.

Regulatory

Update

References

Department of Statistics (2018), Gross Domestic Product, First Quarter 2018.

Mitsui & Co., Ltd. (2017), *The World's First Global Hydrogen Supply Chain Demonstration Project*, July 27. Available: https://www.mitsui.com/jp/en/release/2017/1224164_10832.html

Table B. &KLQD¶V GHYHORSPHQW JRDOV IRU K\GURJHQ IXHO FHOO YHK

	2015	2020	2025	2030
Fuel cell vehicles				
- Number		5,000	50,000	>1 million
- Commercial ±passenger		3,000; 2,000	10,000; 40,000	
Fuel cell vehicle cost (RMB)				
- commercial	2m			
- passenger	>500,000			
Hydrogen refuelling stations				

Challenges

China currently faces a number of current limitations in relation to fuel cell vehicle development. These limitations include improving fuel cell system operational lifespans; a lack of domestic capability in respect of critical materials and components (e.g. fuel cell electro-catalysts, proton exchange membranes, carbon paper, air compressors, hydrogen reticulation pumps etc.); and hydrogen tanks with higher storage densities / pressure (Strategy Advisory Committee, 2016).

Recommendations (Roadmap)

Public Awareness

Timeframes

The roadmap has milestone objectives for 2020, 2025 and 2030.

Regulatory

New hydrogen transportation and storage technologies (e.g. liquid hydrogen) will require regulatory approvals.

Update

References

China (2016), *China First NDC*, Available: https://www4.unfccc.int/sites/ndcstaging/PublishedDocuments/China%20First/China%27s%20First%20NDC%20Submission.pdf

International Partnership for Hydrogen and Fuel Cells in the Economy (IPHE) (2019), *China, IPHE Country Update: December 2018*. Available: https://www.iphe.net/china

Li, J (2018) *Hydrogen Energy Country Overview*, presentation to the United States Department of Energy International Hydrogen Infrastructure Workshop 2018, Sept. 11-12.

Strategy Advisory Committee of the Technology Roadmap for Energy Saving and New Energy Vehicles and Society of Automotive Engineers of China (2016), *Hydrogen Fuel Cell Vehicle Technology Roadmap*. Available at http://img.sae-china.org/web/2017/11/FCV%20Tech%20Roadmap_20171027(1).pdf

±

Caveat Unofficial synthesis. Readers are advised to check against the source.

Title / Key document(s)

Hydrogen Roadmap Europe A Sustainable Pathway for the European Energy Transition

Document Type and Author

Roadmap by stakeholder group, Hydrogen Europe, also known as the European Hydrogen and Fuel Cell Association. It represents industry companies across the value supply chain, research organisations and national associations.

Abstract

contribute to the Paris Agreement aspirations for limiting global wa(h)-9-0[(em)-20(eno(. I)-)-3(ac)-2003>n5(s)-510(i)5(

Power Generation

Using e
whereby hydrogen can be used as a fuel for transport, building heating and industry. It can help balance variabilities in the supply and demand of power over the short and long term, which is expected to become more pronounced over time with the trend toward electrification of energy use and increasing penetration of renewables. While batteries are an efficient short term option for energy storage, hydrogen is better suited for long periods, which means it can help balance large inter-seasonal variations in demand and supply. And via transportation in pipelines, ships and trucks, it can connect regions with excess or high potential for renewable energy production (e.g. southern Europe, northern Africa) with areas of high demand.

In the ambitious hydrogen adoption scenario, power companies are assumed to store approximately 25 TWh of surplus renewable energy as hydrogen by 2030, while approximately 40TWh in power is produced from about 64 TWh of hydrogen.

Gas Networks

About 40%

Challenges

The ambitious scenario requires a significant policy commitment.

Recommendations (Roadmap)

±

Caveat Unofficial synthesis. Readers are advised to check against the source.

Title / Key document(s)

A Clean Planet for all: A European long-term strategic vision for a prosperous, modern, competitive and climate neutral economy
In-Depth Analysis in Support of the Commission Communication COM(2018) 773

Document Type and Author

Decarbonisation strategy prepared by the European Union

Abstract

This broader strategy is focussed on the set of scenarios that would allow the EU to achieve sufficient decarbonisation by 2050 to be consistent with a less than 2°C (and less than 1.5°C) increase in temperature from pre-industrial averages. The modelled decreases in emissions are 80%, 90% and 100% below 1990 levels. Although the strategy is one of overall emissions reductions, hydrogen and - -carbon energy such as synthetic methane) play an important role in many of the scenarios developed given their potential to substitute for greenhouse gas emissions in many sectors where it is considered likely that it will be difficult for electricity to do so cost-effectively.

An important feature of the strategy if the effort to consider energy decarbonisation needs and approaches systemically from energy generation, through potential distribution and storage technologies, to users of the energy (and industrial feedstock).

This summary focuses on those elements of the -67(th)4(e -67(th)4(ef1 [era)-12(tiw -8(i)8( )-10(i)5(f)-arbo)-10(e)-9(d s

including household heating, stationary energy, and acting as an industrial feedstock (in combination with sustainable sources of carbon where necessary). Hydrogen is also the primary fuel source for heavy vehicles and fuels a proportion of light vehicles.

In the e-fuels scenario, 100% e-gas is distributed through the gas grid and it fills all of the roles grid natural gas currently provides including household heating, stationary energy, and acting as an industrial feedstock. E-fuels are also a key fuel source for all transport modes.

Power Generation

Electricity generation is assumed to be almost completely de-carbonised, primarily through renewables (with solar PV taking the most significant role), however nuclear is assumed to still have a role in the power generation system.

for long-term, large scale storage either through hydrogen, e-gas, or ammonia which can then be used to fuel power plants in intervals of prolonged low renewable generation.

Transport / Mobility

Different scenarios see different assumed roles for hydrogen and related technologies:

In the electricity scenario hydrogen or e-fuel have almost no role in the transport system, being used only for maritime transport (and possibly aircraft);
In the hydrogen scenario, hydrogen is the primary fuel source for heavy vehicles and maritime transport, with some use by passenger vehicles (although BEVs are expected to dominate that market segment);
In the e-fuel scenario, e-fuels are the primary fuel source for heavy vehicles, maritime transport and air transport, as well as capturing a significant proportion of the passenger vehicle market (with the remainder being BEVs).

Industrial Systems

Those industrial processes where electricity cannot displace gas will be met through on-site of local production of hydrogen or e-gas using electricity.

In the hydrogen scenario,100% hydrogen will be distributed using the gas distribution network, modified to prevent embrittlement or seal leaks.

In the e-fuels scenario, synthetic natural gas will be distributed through the existing gas pipeline network.

Gas networks (and distribution)

In the electricity dominated scenario gas networks and gas distribution are assumed to be displaced entirely or almost entirely by electricity which will capture their current markets including domestic and industrial heat, and most industrial processes.

In the hydrogen and the e-fuel scenarios, the existing gas distribution network is used to transmit the alternative zero net carbon gas (with necessary modifications in the case of hydrogen).

Residential / Commercial

Residential heating is an important consideration in northern and eastern Europe, with these needs currently being primarily met through gas, either directly in building based heating systems, or through

neighbourhood-based heat distribution systems, with the heat for the latter typically generated through combined heat and power plants.

Exports

Exports are not a specific objective of the strategy, although it envisions European firms being able to maintain existing market positions, so by implication the strategy is assuming that hydrogen or e-fuel vehicle and industrial plant exports will substitute for existing carbon consuming products in those markets.

Comparative Advantages

Public Awareness

Public awareness is considered important both in sustain support for the decarbonisation and in achieving behavioural changes to support decarbonisation. Civil society has been identified as the key influencer to maintain public awareness and achieve public acceptance of the necessary changes.

Timeframes

The strategy is based around decarbonisation goals for 2050, and the trajectories required to get there from current emissions patterns

Regulatory

Regulation is the key lever that the EU has to influence member states, and there are a number of regulations structured around achieving the necessary reduction in GHG emissions, ensuring the burden of reducing GHG emissions is shared equitably amongst member states and regions, and in managing potential transition costs, for example, there are regulations to ensure the security of natural gas supplies through the transition period.

Competition policy is also seen as having a central role in ensuring that the transition measures adopted by member states and industries are low cost, in the interest of consumers, and do not lead to the exploitation of market power.

Update

References

European Commission (2018) A Clean Planet for all: A European long-term strategic vision for a prosperous, modern, competitive and climate neutral economy. In-Depth Analysis in Support of the Commission Communication COM(2018) 773A Clean Planet for all: A European long-term strategic vision for a prosperous, modern, competitive and climate neutral economy. Available at https://ec.europa.eu/clima/sites/clima/files/docs/pages/com_2018_733_en.pdf

±

Caveat Unofficial synthesis. Readers are advised to check against the source.

Title / Key document(s)

Hydrogen Development Plan for Energy Transition, Ministry for the Ecological and Inclusive Transition of France (2018).[7]

Document Type and Author

National strategy by government authority.

Abstract

The French national hydrogen roadmap is organised around three axes: hydrogen production by electrolysis for industry, in mobility as a complement to battery vehicles, and to assist the stabilisation of energy networks. The initial focus is on subsidising the deployment of hydrogen in industrial uses which currently have greater potential economies of scale and therefore commercial viability. Deployment will then extend to transport and energ
(A$159 million) in funding has been allocated to support deployments throughout France across the three axes.

Driving Factors

As part of its broader greenhouse gas abatement efforts, France aims to increase the proportion of renewable energy in final energy consumption to 32%, and the share of renewables in electricity supply to 40%

In terms of deployment, the initial focus will be on decarbonisation of existing industrial uses as only this market has sufficient curre

It is anticipated that investment aid may be withdrawn once electrolyser costs approach market competitiveness.

Challenges

Recommendations (Roadmap)

A total of 18 measures were identified that would help facilitate the development of the hydrogen sector. Beyond the provision of investment support, these measures include, among other things, recognising the environmental impact of hydrogen in greenhouse gas emissions depending on the mode of production; implement regulation and risk prevention measures to facilitate deployment; establish a hydrogen research program within the National Agency for Research; incorporate hydrogen into relevant training programs; and explore the potential for hydrogen in rail etc.

Public Awareness

Timeframes

Regulatory

There is a need to clarify regulations in respect of security, safety and risk prevention along the whole hydrogen value chain, including production, storage, transport and use. Regulatory measures will need to be implemented to enable injection of hydrogen into gas infrastructure.

Update

References

Ministre de la Transition écologique et solidaire (2018), la transition énergétique. Available at *https://www.ecologique-solidaire.gouv.fr/sites/default/files/Plan_deploiement_hydrogene.pdf*

±

Caveat Unofficial synthesis. Readers are advised to check against the source.

Title / Key document(s)

Power-to-gas system solution. Opportunities, challenges and parameters on the way to marketability.

In August 2015 there were 20 hydrogen plants in operation for research and demonstration purposes with capacities ranging from below 100 kW to 6 MW. This has since increased to 30 pilot projects with a total electrolysis capacity of about 25 MW. In addition to demonstrating technical feasibility, these pilot projects are designed to achieve cost efficiencies and test potential business models and applications.

The efficiency of the electricity to hydrogen and back to electricity conversion process depends on various factors but is typically around 40%, which is comparable to conventional power plants. Improving efficiency is a key objective of current research, particularly if the pathway of using natural gas infrastructure for energy storage is to be realised.

Power Generation

Hydrogen is an attractive long-term electricity storage medium and can compensate for variations in electricity generation from wind and solar energy. The existing gas network and connected gas storage systems provide large storage capacity. The renewable gas could potentially be reconverted in gas power plants or cogeneration plants to provide additional power generation.

Transport / Mobility

Hydrogen and/or methane can be used in the transportation sector (e.g. hydrogen fuel cell vehicles). In terms of non-biogenic fuels, hydrogen or methane can be supplied in greater quantifies and have a smaller impact on land use compared to plant-based fuels.

Industrial Systems

Hydrogen produced with renewable energy can replace fossil fuel-based hydrogen used in various existing industrial uses, including fuel refining, chemicals manufacturing and steel production, while synthetic methane can also substitute for natural gas.

Gas Networks

Under current regulations, existing natural gas infrastructure can accept up to 10% of hydrogen by volume although lower restrictions apply in some areas (e.g. 2% due to compressed natural gas refuelling) (FuelCellsWorks, 2019). The 10% limit will apply across the whole network by 2030, while the long term goal is to increase the maximum limit to 20%. Greater usage of renewable power generation can in effect be achieved by converting hydrogen into methane through the methanation process. Combining methanation with a biogas plant is considered a particularly efficient pathway for maximising methane production.

Residential / Commercial

Approximately 75% of space heating in buildings was derived from gas in 2015 (German Energy Agency, 2019). Hydrogen and synthetic methane can be a substitute for fossil natural gas in the existing natural gas infrastructure for heating purposes and may be utilised in combined heat and power plants.

Exports

Comparative Advantages

A significant policy commitment to reduce carbon emissions, increase renewables share in the energy system, and facilitate research and development into Power-to-gas.

±

Country / Region

International

Title / Key document(s)

Hydrogen Supply

This report identifies the following methods of hydrogen production:

electrolysis using renewable energy sources;

steam methane reforming using bio-methane; and

steam methane reforming with carbon capture, storage and utilisation.

Power Generation

Increased use of renewable energy sources in the future coupled with an increase in demand for energy can create imbalances in the power sector. The report recognises the main challenges in the future of energy generation as issues related to grid capacity, intermittency, low-carbon seasonal energy storage and backing up generation capacity. This report states that hydrogen can help address these challenges.

Hydrogen produced from excess renewable energy through electrolysis can be used to service transport, industry and residential requirement for heat or for storage for future use. Thus, hydrogen has the potential to increase returns on investment in renewable energy, improve the security of power supply and act as carbon-free seasonal storage. For example, in European winters when renewable energy production is low and demand for energy is high, hydrogen can supply zero-carbon energy.

However, the Council foresees the need for major transformation of the local and global infrastructure so that clean energy supply can be secured across borders. Hydrogen can be transported through ships, pipelines or trucks with almost 100% efficiency and distributed among cities and regions. For example, hydrogen can be transported from the Middle East,

±

Caveat Unofficial synthesis. Readers are advised to check against the source.

Country / Region

France, Germany, Italy, UK, Japan, United States.

Title / Key document(s)

Technology Roadmap, Hydrogen and Fuel Cells, International Energy Agency (IEA), June 2015.

Document Type and Author

Roadmap prepared by an international agency.

Abstract

This roadmap and its 2019 update provides an exhaustive discussion of the nature, function and cost of key hydrogen technologies. It also identifies applications where hydrogen can offer maximum value added. The road map takes a short term and long term perspective on actions that are required to develop and deploy hydrogen technologies while taking into consideration global energy and climate goals. The roadmap also intends to promote stakeholder understanding of the business opportunities offered by hydrogen and the synergies they offer in existing energy systems.

This roadmap covers hydrogen-based solutions for both energy supply and energy demand. Within energy demand sectors, the roadmap covers transport, fuel cell micro co-generation in the residential sector and selected applications in the refining, steel and chemical industries. Within the supply sector, the roadmap covers variable renewable energy (VRE) integration and energy storage, comprising power to power, power-to-gas and power to fuel. The roadmap also covers hydrogen infrastructure such as transmission and distribution, storage and retail technologies. In addition, the roadmap also takes into consideration the main hydrogen generation and conversion technologies such as electrolysers and fuel cells. Recommendations in the update stress the importance of making the most of existing industrial ports to turn them into hubs for lower-cost; lower-carbon hydrogen; use existing gas infrastructure to spur new clean hydrogen supplies; support transport fleets, freight and corridors to make fuel-cell vehicles more competitive; and establish the first shipping routes to kick-start the international hydrogen trade.

Driving factors

The 2015 edition of the International Energy Agencq0.000008871 0 595.32 841.92 reW*nBT/F1 9.96 Tf1 0/F16l 020 0 1

producing hydrogen off-site then delivering it can vary. For example, gaseous tube trailers have a low fixed cost and high variable cost and are being deployed in the short term. However, economies of scale can be reaped from hydrogen pipelines but they involve high fixed costs and can only be deployed in the medium to long term. However, if technological and cost barriers can be removed then FCEVs will produce very low carbon emissions compared to conventional vehicles.

Industrial Systems

Hydrogen that is used in industrial systems is mostly generated and used on site. Hydrogen is used by the petroleum industry and is also generated by the steel industry as part of by-product gases

electrolysers. Enhance the focus on cross-cutting research areas, such as novel materials, that could play a transformative role in improving performance. Where possible, promote projects with international cooperation to maximise the efficiency of funding.

- *Improve understanding of regionally specific interactions between different energy sectors through integrated modelling approaches to quantify benefits of energy system integration.*
- *Where regionally relevant, accelerate activities directed at developing the capture and storage of CO_2 from fossil-derived hydrogen production into mature business activities."* (IEA, 2015a

Utilise the already existing natural gas pipelines to drive demand for hydrogen. For example, if clean hydrogen were to replace only 5% of the volume of natural gas supplies for all countries taken together then this would increase the demand for hydrogen and to the extent necessary to drive down costs and achieve economies of scale.

Even though fuel cell vehicles are currently being trialled in various countries they currently have significant disadvantages in terms of cost. However, targeting initial take-up of FCV in high mileage cars, trucks and buses to carry passengers and goods along popular routes can make fuel-cell vehicles more competitive.

International trade in hydrogen is vital if hydrogen has to make its mark on the global energy system. As such,

Learnings from the success of global LNG market can be utilised in this context. In particular, h*ydrogen and hydrogen-based fuels can transport energy from renewables over long distances – from regions with abundant solar and wind resources, such as Australia or Latin America, to energy-hungry cities thousands of kilometres away.*

The IEA also identified four key barriers that may result in hydrogen being unable to establish itself as a significant energy technology despite the current spike in interest:

Producing hydrogen from low-carbon energy is current much more costly that using natural gas, or even using hydrogen derived from fossil fuels.

The development of hydrogen infrastructure, such as refuelling stations and distribution and transmission networks, is slow, and can be expected to hold back widespread of hydrogen end-uses such as household heating and FCVs. The IEA believes that this may require coordination between governments (national and local) and industry to resolve.

Currently, almost all hydrogen is sourced from fossil fuel feedstocks, and as such is responsible for substantial GHG emissions (equivalent to those of Indonesia and the United Kingdom combined). If hydrogen is to play its hoped-for role in decarbonisation, there will need to be widespread use of CCS in hydrogen production or production of hydrogen from electrolysis using zero GHG electricity.

Current regulations are an impediment to the development of a clean hydrogen industry, for example,

to reduce the cost to 20 yen per Nm^3 ($A0.2) in order to achieve cost competitiveness with traditional energy sources (after allowing for environmental externalities).

Power Generation

Power-

Existing laws requiring hydrogen to be odorized in order to monitor gas leaks may need to be revised given potential for odorants to damage fuel cells.

Residential / Commercial

Ene-

Central government committed to working with local government and businesses to promote understanding of the safety of hydrogen and its significance.

Timeframes

The strategy identifies short, medium and long term goals and actions. Most goals, including the development of global liquefied hydrogen supply chains, are expected to be realised by around 2030, but the strategy is developed with a view towards major achievements being realised by 2050.

Regulatory

Japan will look to lead international standardization through international frameworks.

Aligning domestic regulations with international standards that facilitate market access.

Update

The strategy will be updated over time.

References

±

Caveat Unofficial synthesis. Readers are advised to check against the source.

Title / Key document(s)

Outlines of a Hydrogen Map, TKI NIEUW Gas, Topsector Energie, 2018.

Document Type and Author

Roadmap prepared by an energy company.

Abstract

A need to reduce carbon emissions as part of the Paris Agreement and the adoption of hydrogen initiatives at the regional and international levels has encouraged the Netherlands to develop a national hydrogen strategy. The Netherlands has the potential to use its large wind energy to produce hydrogen. Much work needs to be done in respect of the development of technology, regulations, the market for hydrogen and government policies to enable the Netherlands to transition to a hydrogen economy.

Driving factors

Netherlands interest in having a well-defined hydrogen strategy stemmed from the Paris Agreement and its goal to reduce carbon emissions and global warming. The Netherlands government aims to achieve a 49% reduction in greenhouse gas emissions by 2030 and an 80 to 95% reduction by 2050 compared to 1990 levels.

In addition, the adoption of hydrogen strategies at a regional and international level has prompted the Netherlands to develop a formal roadmap for hydrogen. For example, H2 Platform, the members of the National Hydrogen and Fuel Cell Association and WaterstofNet have been developing and launching hydrogen initiatives at the regional level in the north of the Netherlands, the Rotterdam region and in Goeree-Overflakkee. The national government was also influenced by overseas developments, such as the H2 Mobility project in Germany, the development of hydrogen cars in

Small scale or onsite production of hydrogen using SMR can be quite cost

The development of hydrogen will require new skills and competencies in the labour market particularly in areas of mechanical engineering, electrical engineering, chemistry and physics. Hence the roadmap recommends including hydrogen in the curriculum of basic education programmes.

Funding / Costs

Various European and national schemes are available for the introduction of fuel cell electric buses and the roll-out of hydrogen refuelling points. Innovation subsidies for hydrogen are available through Topsector Energy and early phase research is funded by the Netherlands Organisation for Scientific Research. However, no structural support is available for hydrogen within the Netherlands. Support for demonstration projects is available at the European level through a range of large-scale programmes.

Challenges

The main technologies for end-use applications of hydrogen are fuel cells and burners. Netherlands faces innovation challenges in relation to development, implementation and testing of systems, in particular, fuel cell systems for practical applications such as in buses, lorries, mobile machinery and ships. In terms of the generation of hydrogen, Netherlands faces the challenge of how to decarbonise current production and how to replace current production with hydrogen produced from sustainable energy sources. Finally, the key innovation challenge faced by the Netherlands in terms of storage, transport and distribution relates to the use of existing natural gas infrastrl

platform. However, unlike natural gas, in the case of hydrogen, the purity of the product must be predetermined and agreed upon between buyers and sellers.

Update

References

Jörg Gigler and Marcel Weeda (2018) *Outlines of a Hydrogen Map,* TKI NIEUW Gas, Topsector Energie, 2018. Available at https://www.iphe.net/netherlands

±

Hydrogen Supply

The Northern Netherlands intends to produce hydrogen from:

biogas or natural gas from steam reforming; and
renewable sources such as on shore and off shore wind farms through electrolysis.

The existing electricity transmission infrastructure creates a potential barrier to the Northern Netherlands making full use of

Figure J.1: Indicative schema for Green hydrogen economy in the Northern Netherlands



An additional 20,000 tons of hydrogen will be used for grid balancing and, finally, 100,000 tons of hydrogen can be fed into pipelines connecting Delfzijl and Rotterdam and Limburg and Germany.

Power Generation

The roadmap mentions that hydrogen as a fuel for power generation for energy-intensive industries needs research and development as part of the latter stage of market development.

Transport / Mobility

The development of hydrogen fuel cells for transportation is at an early stage in the Northern Netherlands. However, the roadmap foresees the need for a fuel cell hydrogen mobility infrastructure

Netherlands.

Currently, there is sufficient interest from relevant companies to install hydrogen fuelling stations with the first one being under construction and announcements of a further eight stations to be constructed in the near future. The roadmap estimates that the Northern Netherlands will need at least 100 hydrogen fuelling stations to ensure that there is a station either within 20 minutes driving distance or every 30 km (maximum). At present, the minimum hydrogen supply is about 200 kg per day (40 to 60 cars), but it is forecast to grow to 1,000 kg per day (200 to 300 cars).

Industrial Systems

Presently, hydrogen is mostly produced from methane through Steam Methane Reforming (SMR) for industrial purposes. This hydrogen is extensively used in the chemical and petrochemical industries, but it is not green hydrogen. The roadmap states that one way to produce low-carbon hydrogen from methane is to capture and store the CO_2 in offshore geological features, such as an empty oil or gas field. The roadmap notes that since the Northern Netherlands is trying to reduce natural gas production, underground onshore storage of CO_2 is not viable in the Netherlands.

Large and very sophisticated gas infrastructure, both onshore and offshore;

A well-established gas industry and knowledge network;

The presence of relevant chemical and agricultural industries; and

Neighbouring Germany is rapidly developing hydrogen fuelling infrastructure for cars."

containership and has mandated that at least 50% of energy for an existing ferry service be derived from hydrogen upon future conversion to an electrically powered service (Lipsith,

References

Enova (2019), *Hydrogeninfrastruktur* [hydrogen infrastructure]. Available: https://www.enova.no/bedrift/landtransport/stotte-til-infrastruktur/hydrogeninfrastruktur/ [Norwegian only]

Fuel Cell Today (2013), *Fuel Cells and Hydrogen in Norway*. Available: http://www.fuelcelltoday.com/media/1838763/fuel_cells_and_hydrogen_in_norway.pdf

Lipsith, G (2019), *Norway makes early play in hydrogen race*, Marine Propulsion and Auxiliary Machinery, 14 February. Available: https://www.mpropulsion.com/news/view,norway-makes-early-play-in-hydrogen-race_56838.htm

Nel Hydrogen (not dated), *Production of Renewable Hydrogen*. Available: http://injapan.no/wp-content/uploads/2017/02/5-Nel-Hydrogen-Production-of-H2-from-Renewables.pdf

Norwegian Hydrogen Forum (2017). *The Norwegian Hydrogen Guide*.

Norwegian Ministry of Climate and Environment (2017), *Norway's Climate Strategy for 2030: a transformational approach within a European cooperation framework*, Meld. St. 41 (2016-2017) Report to the Storting (white paper). Available: https://www.regjeringen.no/en/dokumenter/meld.-st.-41-20162017/id2557401/

Norwegian Ministry of Transport and Communications (2017), *National Transport Plan 2018-2029*, Meld. St. 33 (2016-2017) Report to the Storting (white paper). Available: https://www.regjeringen.no/en/dokumenter/meld.-st.-33-20162017/id2546287/

Reuters (2017), *Norway races Australia to fulfil Japan's hydrogen society dream*. Available: https://www.reuters.com/article/us-japan-hydrogen-race-idUSKBN17U1QA

±

Caveat Unofficial synthesis. Readers are advised to check against the source.

Title / Key document(s)

Hydrogen Economy, Roadmap of Korea, Ministry of Trade, Industry and Energy, 2019

Hydrogen Economy Roadmap of Korea, Government of Korea, 2019.

Remarks by President Moon Jae-in at Presentation for Hydrogen Economy Roadmap and Ulsan's Future Energy Strategy

Document Type and Author

National strategy announcement and national government documents.

Abstract

On 17th January 2019 South Korean President Moon Jae-in outlined a vision for developing a hydrogen-based economy. The core elements of the plan include:

increasing production and adoption of hydrogen fuel cell vehicles;
increasing production of fuel cells for power generation and home consumption (electricity and heat); and
building a hydrogen production and distribution system.

The strategy involves providing incentives and subsidies to increase economies of scale on both the supply and demand sides in order to lower production costs, accelerate the self-proliferation of hydrogen technologies, and increase exports.

Driving Factors

The hydrogen economy has been identified as a core component of South
strategy and a potential new growth engine. The potential for hydrogen to displace oil and coal as an energy source, and the development of hydrogen technologies and infrastructure in respect of production, storage and transportation may form new industries and sources of economic growth. As the hydrogen economy is still in its infancy and global competition is intensifying within this space, South Korea sees an early mover advantage in fostering the development of a local hydrogen economy.

The strategy envisions that moving to a hydrogen economy will help South Korea improve its energy self-sufficiency. More than 97% of fossil fuels used by South Korea is met through imports, which in addition to presenting a security of supply risk, makes the country vulnerable to fluctuations in global resource prices (Government of Korea, 2019).

Reducing air pollution is another motive for encouraging hydrogen adoption. Producing energy using carbon-based sources, particularly in automobiles, produces particulate emissions. The government estimates that the volume of particulate emissions could be reduced by 10% compared to current levels by 2030 if its targets for hydrogen-powered cars are met.

Hydrogen is seen as one method of helping South Korea transition to a low carbon economy. The
% from business-as-usual levels
by 2030.

Hydrogen Supply

The recently announced strategy aims to build a system for producing and supplying hydrogen. President Moon Jae-in (2019) noted that existing petrochemical plants have the capability to produce

Timeframes

The current strategy establishes various time frames, but short to medium terms goals generally reference 2022, while longer terms goals reference 2040.

Regulatory

Existing laws will be modified to accommodate an industrial hydrogen ecosystem. For example, to facilitate the expansion of hydrogen fuel stations the government plans to relax regulations by building

management regulations for hydrogen-related products and facilities will also need to be established.

Update

It is anticipated that a Hydrogen Economy Act will be enacted in the second half of 2019. The Act will
-based economy.

References

Government of Korea, (2019),

±

Caveat Unofficial synthesis. Readers are advised to check against the source.

Title / Key document(s)

The Clean Growth Strategy, Leading to way to a low carbon future, Her M Government, 2017.

Industrial Strategy, Building a Britain fit for the Future, Her M

Document Type and Author

Strategies by prepared by the national government.

Abstract

The United Kingdom industrial and clean growth strategies seek to maximise the economic and social benefits to the UK from transitioning to a clean energy economy and to achieve this transition at the a potential clean technology that can decarbonise the industry, heat and transport sectors. Research and demonstration projects are being funded under a range of programs covering these sectors in order to enable learning and development and overcome cost disadvantages relative to existing carbon-intensive technologies. It is currently expected that the main form of hydrogen production will be steam methane reforming of natural gas with carbon capture, usage and storage.

Driving Factors

Industrial Strategy (HM Government, 2017). This strategy envisions Britain taking a leading role in the development, manufacture and application of low carbon technologies and systems, with the long-term goal of making these technologies cost less than high carbon alternatives. The strategy briefly notes that Britain will continue to explore the potential applications of low carbon hydrogen.

Under the Climate Change Act, the UK has committed to reducing greenhouse gas emissions by at least 80% by 2050 relative to 1990 levels. The *Clean Growth Strategy* identifies three illustrative pathways to meeting this long term abatement goal: an electricity pathway, hydrogen pathway and emissions removal pathway (i.e. biomass power using carbon capture, usage and storage (CCUS)). Under the hydrogen pathway, by 2050 hydrogen would provide a majority of heating for heating homes (62%

Government and industry are currently undertaking research and developing demonstration projects in order to understand how hydrogen can be used in existing gas networks and associated domestic appliances. For instance, the Department of Business, Energy and Industrial Strategy has commissioned a £25 million Hydrogen for Heat programme that is exploring the feasibility of using hydrogen gas for heating homes and businesses. Key focus areas of the programme include the

various general schemes such as the Clean Growth Fund, Carbon Capture and Utilisation Demonstration Programme, Industrial Fuel Switching competition, Industrial Energy Efficiency Accelerator, Low Emission Freight and Logistics Trail etc.

Challenges

Reducing the cost of hydrogen solutions to reach parity with existing carbon-intensive technologies.

Recommendations (Roadmap)

Public Awareness

Timeframes

Hydrogen is seen as one of several potential solutions (along with electrification, bio-mass and CCUS) that could be deployed to achieve the 2050 80% carbon abatement reduction target. Current research and development projects are generally focused on enabling these technologies to be deployed on a large scale after 2030 to facilitate carbon abatement, with the exact mix depending on cost competitiveness and technical challenges.

Regulatory

Update

Various demonstration projects are or will be funded which will provide evidence on the feasibility and costs associated with switching to hydrogen solutions. For example, a report on the Low Emission Freight and Logistics Trial should be released in January 2020, while the deadline for applications for feasibility studies under the Industrial Fuel Switching Programme recently closed.

References

Cadent (2019), HyNet, FAQs, Available: https://hynet.co.uk/faqs/

Department for Business, Energy & Industrial Strategy (2018), Hydrogen Supply Programme. An SBRI Competition: TRN 1540/06/2018, Programme Guidance Notes.

HM Government (2017), *Industrial Strategy, Building a Britain fit for the future*.

HM Government (2017a), *The Clean Growth Strategy, Leading to way to a low carbon future.*

HM Government (2017b), Low emission freight and logistics trial competition winners announced. Available: https://www.gov.uk/government/news/low-emmission-freight-and-logistics-trial-competition-winners-announced

Ricar(on)] TJETQq0.000008871 0 /P0 1-5(a[( )] TJET0 1 rg84Ae TJ-2[(-)] TJETQ118.1 241.61 401.95 0.72003 refq0.00

±

Caveat Unofficial synthesis. Readers are advised to check against the source.

Title / Key document(s)

Intraday and inter-

The H21 project received £10 million (A$18.0 million) in funding from Ofgem - the government regulator for gas and electricity markets - to test the potential for city-wide transition (BusinessGreen 2017).

±

Caveat Unofficial synthesis. Readers are advised to check against the source.

Title / Key document(s)

London: a capital for hydrogen and fuel cell technologies, report prepared Hydrogen London by Element Energy Ltd, Apr 2016.

Document Type and Author

Report prepared by Advisory Body, Hydrogen

within the next couple of years. Funding is also in place for two mobile hydrogen refuelling stations, which could further support the development of the hydrogen transport sector in London over the coming years. This is consistent with the vision of the hydrogen production mix at the national level developed in the UK H2Mobility project, which would lead to FCEV emissions below around 50g CO_2/km from 2020, compared to a fleet average for conventional cars in excess of 100g CO_2/km at that point.

Challenges

supply, heating and transport. Currently, the
networks. Electrifying transport, heat and power in order to decarbonise places pressure on strained electricity networks. In addition, London will need to convert its fleet of 2.6 million cars to low carbon
is to meet its decarbonisation targets then it must

UK National Policy Paper (2018), *HyLAW - Hydrogen Law and removal of legal barriers to the deployment of fuel cells and hydrogen applications.* Available: https://www.hylaw.eu/sites/default/files/2019 01/HyLaw%20UK%20Policy%20Paper_Final_December%202018.pdf

cost to UK gas customers at £30-50/MWh (A$53.6-89.3/MWh, estimated from graph). This cost estimate is 40% lower than those that rely upon coal with CCS and 60 to 70% lower than those that assume hydrogen production via electrolysis.

The strategy considers the option of importing ammonia as a longer-term source of hydrogen to the market for heat in the UK. The analysis was conducted assuming a country like the US which has abundant cheap gas and access to Co2 storage sites. Again the natural gas pathway was the lowest cost alternative with the price of ammonia at £45-50/MWh (A$80.4-89.3/MWh) including transport to UK. In the long term, green ammonia can be produced from solar at £70-120/MWh (A$125-214.3/MWh).

The report also estimated the cost of hydrogen produced from ammonia obtained from alternative sources (natural gas, coal, solar). The estimated hydrogen prices included a transport cost of £5/MWh (A$9/MWh). The cost of hydrogen produced from natural gas-based ammonia was £55-60/MWh (A$98.2-107.1/MWh), which was lower than both coal and solar. OQq8g0 G5t94i and solar. OQq8g0 G5t94i aey6 Tf1

million in terms of CAPEX and £955 million (A$1,705 million) OPEX per annum after 2035 once the conversion and commissioning of the hydrogen network is complete. The additional unit cost to UK gas customers for using the hydrogen regulated asset is estimated at £3.8/MWh (A$6.8/MWh). Further, based on an asset finance model, the H21 NoE project provides CCS at a price of £5.54 (A$10) per tonne.

Challenges

Recommendations (Roadmap)

Vision

The report also provides a vision of how hydrogen will be rolled out for deep decarbonisation of the UK heat not just in North of England but rest of the UK by 2050 by the gradual conversion of the underground gas networks. The six phases of hydrogen conversion envisioned by this report are:

- x

±

Caveat Unofficial synthesis. Readers are advised to check against the source.

Title / Key document(s)

Department of Energy Hydrogen and Fuel Cells Program Plan: An integrated and strategic plan for the research, development and demonstration of hydrogen and fuel cell technologies, U.S. Department of Energy, Sept 2011.

Document Type and Author

Strategy prepared by a government authority.
Officially a plan prepared by the U.S. Department of Energy.

Abstract

The U.S. hydrogen strategy is formulated on the basis of reducing greenhouse gas emissions through increased use of hydrogen and fuel cells. The U.S. has identified stationary power and transportation as the two most important sectors where the use of fuel cells and hydrogen can be applied. It has a long-running hydrogen and fuel cells program which seeks to improve the cost efficiency and effectiveness of fuel cell and hydrogen production technologies.

Driving factors

he U.S. had the intention of reducing greenhouse gas emissions by 80% by 2050 compared to its pre-2010 levels, and lower its dependence on imported fuels. This can be achieved through the utilization of diverse domestic energy sources and the use of advanced fuels and technologies in all sectors of the economy. The U.S. Department of Energy (DOE) believes that fuel cells (which can convert various fuels directly into electricity without combustion) and hydrogen (which can be produced from renewable sources without leaving a carbon footprint) are two key elements for

(A$82.2 to 109.6 per kW) is a valid estimation of the potential manufacturing cost for an 80-kWnet fuel cell system, based on 2008 technology, and assuming a manufacturing volume of 500,000 systems per year.

The focus of the program is on the production of hydrogen from renewable or low-carbon resources through either distributed hydrogen production or centralised hydrogen production. Distributed hydrogen production involves developing small scale technologies to produce hydrogen from renewable liquids to achieve higher energy efficiency and a lower cost of production. Methods of central hydrogen production include electrolysis using power from wind and solar, conversion of biomass, and near-zero atmospheric emission coal plant producing hydrogen and power with carbon sequestration.

In terms of the cost of producing hydrogen in 2006, the total cost of delivered and dispensed hydrogen was estimated to be approximately $2.75 to 3.50 per kg (A$3.8 to 4.8 per kg) using 2005 technology and assuming an installation rate of 500 new forecourt units per year and a capacity of 1,500 kg per day.

In 2009, the levelized cost range for state-of-the-art forecourt electrolysis was estimated at $4.9 to 5.7 per kg (A$6.7 to 7.8 per kg) of hydrogen for compression, storage, and dispersion of 1,500 kg per day. In comparison, the 2009 levelized cost for state-of-the-

artsInfoAvailable5(e)-9-(tr)-2(ol)1716(v)18(s)-5-7(of)-7( )] TJETQq0.000008871 0 595.32 841.92 reW*nBT/F1 9.96 T521 0 0 1 334.949f

Comparative Advantages

Role of Government

The p -competitive R&D which in turn will lead to development at an industrial level and thus commercialisation of hydrogen and fuel cells. To this end, the program incorporates an array of research, development and demonstration (RD&D) activities such as basic research efforts, applied research and technology development efforts and demonstration and validation of new technologies.

The U.S. government invested approximately $1.5 billion (A$2.1 billion) for fuel cell technology RD&D activities between 2004 and 2009. The program argues that to achieve such growth and enable U.S. competitiveness, continued funding is required for RD&D to build and strengthen core competencies in arreW*ent

equal to 15%. Also, demonstrate the production of hydrogen and power from coal with complete carbon capture at less than equal to A$2.7 per gge.
Hydrogen Delivery: To reduce the cost of delivered hydrogen (production and delivery) to less than A$5.5 per gge and to reduce the cost of delivering hydrogen from centralised production to the point of use to less than A$2.7 per gge.
Hydrogen storage: To develop and verify on-board storage systems achieving a capacity of 5.5% by weight and an energy density of 1,300 Wh/L. To verify the performance of at least one materials-based hydrogen storage technology under real-world conditions by 2020.
Manufacturing R&D: To develop as well as reduce the cost of various machinery used in the

reformation (SMR) to convert natural gas or biogas to hydrogen. Although natural gas to hydrogen has the lowest levelized cost (A$3.0 per kg), it involves zero renewable energy usage. Bio gas to hydrogen uses landfill, wastewater or dairy biogas i.e. renewable energy sources as an input, and has a current levelized cost of production of A$4.0 per kg

Funding

The California Energy Commission committed US$20 million per year for 10 years to build the initial network of 100 hydrogen fuelling stations and recently committed about US$4 million in additional funding to support the development of renewable hydrogen production. In January 2018 Governor Brown inc hydrogen stations by 2025, although this pales in

$4 m$UHDVHGWKDfA8A5(HWn Jc



Future Fuels CRC

Enabling the Decarbonisation of Australia's Energy Networks

Website: https://www.futurefuelscrc.com

e-mail: info@futurefuelscrc.com

Australian Government
Department of Industry, Innovation and Science
Business Cooperative Research